
SA Water's agile journey

Tales from a practitioner Business Agility Australia

25 September 2018















It was my first job in 1985













Shore &














Once upon a time...



- Need to improve project delivery efficiency (outcomes and value focus)
- > Achieve our digital aspirations
- Agile is the answer...pilot project...Scrum team!





- > Bring in the consultants
- ➤ We need thought leadership
- ➤ Oh boy...we are not ready for this










- > Small internal team
- Drink our own Kool-Aid, what's our MVP
- ➤ Step change bi-modal











- > Change Management
- > Bring in expertise as needed
- Training, coaching, mentoring, supportpeople focus


















Strategy









- Cultural change
- Leadership and empowerment
- > Key enabler
















- ➤ Delivered on MVP vision
- > Agile framework
- ➤ Change, knowledge, people

















- ➤ Next MVP new vision
- > Teams learning by doing
- System growing




















- Playbooks
- Guidance and support required
- Ongoing resilience





















- > Expanding into IT operations
- Business change initiatives
- Innovation and rapid delivery



















Acoustic

Jul 01, 2017 09:55:51 - Sep 06, 2017 09:55:51

Acoustic Station | POS301 #NALUE ANOMALY 06/09/2917 03:35:30 - acoustic reading of 11.7 is > Threshold: 5.0 Acoustic Station | POS24 MALUE Acoustic Station | POS47^{#VALUE} #NALUE ANOMALY 06/09/2017 03:20:00 : acoustic reading of 128.0 is > Threshold: 5.0

SAW 05 Sep 2017 - 03:35:00

SAW 06 Sep 2017 - 03:36:00 Acoustic Station | POS294 MVALUE ANOMALY 96/09/2017 03:35:00 | acoustic reading of 13:5 is > Threshold: 5.0

SAW 06 Sep 2017 - 03:30:00

ANOMALY 06/09/2017 03:30:00 : scoustic reading of 8.4 is > Threshold: SAW 06 Sep 2017 - 03:30:00


ANOMALY 06/09/2017 03:30:00 acoustic reading of 5.6 is > Threshold SAW 06 Sep 2017 - 03:25:00 Acoustic Station | POS115 #VALUE ANDMALY 06/09/2017 03:25:00 : acoustic reading of 7.7 is > Threshold: 5.0 SAW 06 Sep 2017 - 03:20:00

Acoustic Station | POS6 MALUE ANOMALY 06/09/2017 03:20:00 acoustic reading of 5:2 is > Threshold: SAW 06 Sep 2017 - 03:20:00 Acoustic Station | POS116

SAW 06 Sep 2017 - 03:20:00

Overview of acoustic sensors from operational platform

Transient



Transient/hydrophone (existing location)


Transient/hydrophone (new/modified location)





258 Diagnosis (1) 62 AMR (1) 423 Stations (1)

















- > Better ways
- ➤ Agile outside of IT
- Next vision





















we continue...










Culture underpins everything











Unicorn employee...Unicorn Army

- > Not limited by job title
- > Think big and small
- > Have true grit
- Be respectful
- Get 'stuff' done



